

DOCUMENT RESUME

ED 202 725

SE 035 152

AUTHOR Fortner, Rosanne; Mischler, Ron
 TITLE The Estuary: A Special Place. Student Guide and Teacher Guide. OEAGLS Investigation 20.
 INSTITUTION Ohio State Univ., Columbus. Research Foundation.
 SPONS AGENCY National Oceanic and Atmospheric Administration (DOC), Rockville, Md.
 PUB DATE Aug 80
 GRANT NOAA-04-8-M01-170; NOAA-04-158-44099; NOAA-NA-79AA-D-00120
 NOTE 33p.; For related documents, see SE 035 140-155 and ED 179 352-358. Prepared in collaboration with the Ohio Sea Grant Program.
 AVAILABLE FROM Ohio Sea Grant Education Office, 283 Arps Hall, Ohio State Univ., 1945 N. High St., Columbus, OH 43210 (\$1.00 plus \$1.00 per order for shipping).
 EDRS PRICE MF01/PC02 Plus Postage.
 DESCRIPTORS Botany; *Ecology; *Environmental Education; Marine Biology; Science Course Improvement Projects; *Science Education; Secondary Education; *Secondary School Science; *Water Resources; Wildlife
 IDENTIFIERS *Estuaries; Great Lakes; *Oceanic Education Activities Great Lakes Schools; Ohio Sea Grant Program

ABSTRACT

In this unit students examine Old Woman Creek National Estuarine Sanctuary on Lake Erie to study the characteristics and importance of estuaries in general. Activities include the analysis of a pictured plankton sample, a transect study using computer data, a consideration of the ecological roles of various estuarine species, and a discussion of the impacts of humans and natural forces upon estuaries. Both a teacher's guide and student's manual are provided. Contained in the guide for teachers are objectives, suggested instructional approaches, an answer key, and additional information on Old Woman Creek. (Author/WB)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

ED202725

U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION



THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

**OEAGLS-Oceanic
Education
Activities
for
Great
Lakes
Schools**

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

Rosanne Fortner

Raymond S. Bugno

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)."

THE ESTUARY: A SPECIAL PLACE

by

Rosanne Fortner, The Ohio State University
and
Ron Mischler, McCormick Junior High, Huron, Ohio



Ohio Sea Grant Program
Charles E. Herdendorf, Program Director
Victor J. Mayer, Principal Investigator

OEAGLS Investigation #20
Completed August, 1980

This instructional activity was prepared with the support of National Oceanic and Atmospheric Administration Grant Nos. 04-158-44099, 04-8-M01-170 and NA 79AA-D-00120, and from The Ohio State University. However, any opinions, findings, conclusions, or recommendations expressed herein are those of the authors, and do not necessarily reflect the views of NOAA or the University.

Copyright © The Ohio State University Research Foundation, 1980.
All rights reserved.

THE ESTUARY: A SPECIAL PLACE

INTRODUCTION

To most people, an estuary (es-chew-airy) is the place where fresh water meets the sea. In its larger meaning, an estuary is that part of the mouth of a stream in which the water level is influenced by the lake or sea into which the stream flows. The Great Lakes have some estuaries. Old Woman Creek on Lake Erie has an estuary that has been set aside by the state and federal governments as a "national estuarine sanctuary."

Why should the government bother to preserve an estuary like Old Woman Creek? There are many reasons.

1. The estuaries of the world serve as the breeding grounds for many important animals that live in deeper waters.
2. An estuary has a wide variety of habitats available for wildlife to use as nesting and feeding sites.
3. The sediments and waters of an estuary are places where nutrients are recycled, where the basic things needed for life are made available to organisms.
4. Estuaries serve as a buffer zone to prevent pollutants from the land from entering the lake or ocean and to lessen the effects that flooding and water level changes would have on the land.
5. Estuaries are "endangered environments," not only because of their buffering effect, but also because their quiet waters and nearness to lakes or oceans makes them attractive as places for marinas, homesites, and tourist-type developments. Few estuaries still exist in their natural condition.

In this investigation you will examine some of the characteristics of the estuary at Old Woman Creek to learn something of the importance of estuaries worldwide.

OBJECTIVES

When you have completed this investigation, you will be able to:

1. Describe the methods used by ecologists to sample populations of plant and animal life in the water.
2. Give a general description of the plant communities that are found in different depths of water in an estuary.
3. Explain how plant communities are important to animal life in the estuary.
4. List the types of organisms that are found as plankton in an estuary.
5. Predict the effects of some human and environmental forces on conditions in an estuary.

ACTIVITY A

WHAT ?

under
areas
has a
and ea

MATERIALS

(

PROCEDURE

A




st always
y land, and some
types of environments
he given conditions,
in the estuary.

Old Woman Creek



Figure 2 shows the land use and plant types (vegetation) in the same area. Each symbol drawn by the computer stands for the main characteristic of an area equal to about $\frac{1}{4}$ of an acre (about 930 square meters).



COMPUTER MAP SYMBOLS

- homes (residential area)
- ▣ rangeland (cattle grazing, unused fields, etc.)
- ▲ deciduous forest
- ▣ stream or canal
- .. open water
- " non-forested wetlands
- ▲ marsh or swamp
- K beach
- V row crops (corn, soybeans, etc.)
- V cover crops

Figure 2. Computer map of Old Woman Creek

With your pencil, outline the main parts of the Old Woman Creek estuary on the computer map.

1. Begin by outlining the beach areas (K). One beach that runs along the shore at Oberlin Beach has been outlined as an example. West of Oberlin Beach lies the mouth of Old Woman Creek, and another beach begins just west of that.

NOTE: The mouth of the creek (where it joins the lake) is drawn in one place near the word "Old," but there is really a sand spit there that shifts back and forth over the years. Figure 1, taken in 1976, shows another possible position of the spit.

2. The estuary itself is surrounded almost entirely by deciduous forest (A). Look on either side of the creek and find the border of the forest. Draw a line that separates the forest from the estuary. You will also find a patch of forest just below the "B" in "BERLIN." Outline this forest with another line.
3. What three types of features (see symbols) are now shown to lie within the estuary itself? (Remember, the estuary is surrounded by deciduous forest, but the deciduous forest is not a part of the estuary proper.)

- a. _____
- b. _____
- c. _____

4. Use colored pencils to shade in the following features:

green - forests on border of estuary and on the island

blue - the open water of the lake and the main stream channel

brown - the marshy and non-forested wetlands areas of the estuary

yellow - the beach

red - residential areas

B. Sampling the populations.

1. With your ruler, draw a line straight across Figure 2 between points C and D. This will be called your transect line. Ecologists (people who study about the environment) use a transect as a way to sample the populations of living things in a community. For example, by naming and counting the plants along a transect, they get an idea of what the whole plant community is like, without counting and naming every organism in the whole community.
2. Figure 3 represents your transect line and the plants that might be found along it. It is drawn as a profile so you can tell where and how deep the water is. Figure 3 is four times as long as line C-D that you drew, so all its parts are four times bigger. Label the parts of Figure 3 to show the type of features (from the computer map) that your transect line crosses. Then turn to the Appendix (pages 17-18) for descriptions of the plants.




Figure 3. Transect and profile across Old Woman Creek Estuary

3. Which area of the estuary has plants rooted in fairly dry soil?

What do these plants provide for the animals that live nearby?

4. Which area(s) have plants with roots submerged (underwater) but leaves emergent (sticking out of the water)?

Which areas have plants submerged?

Each of the areas crossed by the transect line is able to support a group of animals. Suppose the area is watched for one week. Figure 4 is a list of the larger animals that might be seen and their activities in each area.

Animal	Number seen in week	Area	Activity				Other
			Hunting	Eating	Reproducing	Hiding	
Raccoon	1	Forest edge		X			washing food
White-tail Deer	2	Forest		X		X	drinking
Fox	1	Forest	X	X			
Songbirds	21	Forest edge		X	X		nesting
Black Snake	1	Forest	X			X	
American Egret	8	Forest			X		nesting
American Egret	15	Marsh	X	X			wading
Green Heron	2	Marsh	X	X			wading
Kingfisher	4	Marsh	X	X	X		
Water Snake	1	Marsh	X	X			swimming
Seagull	4	Marsh		X	X		
Carp	8	Marsh		X	X		
Yellow Perch	60	Marsh		X	X		
Yellow Perch	12	Open water		X			swimming
Freshwater Drum	9	Marsh		X			
Gizzard Shad	~150	Marsh			X		swimming
Gizzard Shad	30	Open water		X			
Clam	17	Marsh mud		X	X		
Emerald Shiner	42	Open water		X			
Walleye	84	Marsh		X	X		

Figure 4: Animals' use of the transect area of Old Woman Creek Estuary

Remember, these plant communities and their animal visitors are only being sampled. There are many more organisms in the estuary than we have mentioned here.

5. In which part of the estuary would you find the largest number of animals?

6. What are the two main activities carried on by animals in this area?

7. Your answers to questions 4 and 5 should be the same. Why would an area with many aquatic (water) plants be visited by such a large number of different animals? (Hint: See the list of animal activities.)

8. Perhaps you have listed "eating" in some of your answers above. Which of the animals in Figure 4 might be using the marsh plants as food?

9. What is the bottom of the estuary marsh probably like: Muddy? _____ Rocky? _____ Why do you think so? _____

The plants in an estuary tend to slow down the stream's flow. When water slows down, it cannot carry as much sediment. Much of the stream's load of sediment is, therefore, deposited in the shallow areas where plants are rooted in the water. Pollutants suspended in the water may also be trapped in the estuary this way.

10. Much of the Old Woman Creek area marked "marsh" on the computer map does not appear that way in Figure 1. An estuary isn't always swampy and a swamp isn't always an estuary.

Look back at page 1 and find the "larger meaning" of the term estuary. Write that meaning below.

11. Based on this definition, why doesn't the Figure 1 photograph show much swampy area?

ACTIVITY B

HOW DOES THE ESTUARY SERVE AS A NURSERY?

The plants along your transect line are not present in large enough amounts to supply food for all the animals visiting the estuary. There are tiny plants and animals as well, that can be eaten by the larger animals. These tiny organisms can only be seen through a microscope.

We have noted that a number of animals reproduce in the marsh. Their young often stay in the estuary "nursery" for long periods of time to feed on the many plants available and to grow large enough to take care of themselves in the lake. The microscope can reveal these tiny animals.


MATERIALS

"Plankton samples" in Figures 6 and 7, rubber rings from canning jars (wide mouth, having an inside diameter of 7.4 cm), pencil

PROCEDURE

A transect is only one method that ecologists use to sample a population. A sample can also be taken by randomly choosing an area of a certain size and counting all the organisms present. To see how this works, do the following:

1. Take a rubber jar ring and drop it anywhere on this page. Count the number of times the letter e appears in the circle.
2. Repeat this two more times. Add up your three counts and divide the total by 3. This gives you the average number of e's in an area of 43 cm^2 (the area inside the ring).
3. To estimate (make an educated guess about) the total number of e's on the page, multiply your average by 14, since the page is about 14 times as big as the area inside the circle.



$$\begin{array}{r} 12 \\ 17 \\ + 19 \\ \hline 48 \end{array}$$

$$48 \div 3 = 16 \quad 16 \times 14 = 224$$

Now let's pretend that a jar of water has been collected from the Old Woman Creek estuary. It was collected in a special way. A plankton net (Figure 5) was towed behind a boat for about five minutes. The net had a jar at the end that caught all the tiny organisms in the water, while the water escaped through holes in the net.




Figure 5: A student-made plankton net


















The jar of water has thousands of organisms in it. You can tell they are there because they keep the water churned up in the jar, but you can't see them well enough to tell what they are. You need a microscope.

Figures 6 and 7 show some of the animals you might see through the microscope. Figure 6 is from a plankton sample collected in May, and Figure 7 is from an August sample. Look at the organisms shown and compare them to the pictures in the chart on page 10. Be sure you can tell which are algae, zooplankton and fish larvae.

4. Repeat the sampling method you used for the letter e, but this time sample the organisms in Figures 6 and 7. It is best if you actually trace your sampling circles on Figures 6 and 7. This will make it easier for you to record on the chart and still not disturb your sample (move the ring). Also, you can come back to your samples and re-check them if the need arises. Record your results on page 10.

HINT: In the table on page 10, the first type of Algae listed is Diatoms. When recording your sample, count both kinds shown, and list them together as Diatoms. Do the same for the Green and Blue-green algae. The number you write will be a total for both species in each category. In the case of the Zooplankton, only one species of each of the different groups is shown.

Figures 6 and 7 are based on actual plankton samples collected along the Lake Erie shore in 1978. Both the numbers and types of organisms are therefore fairly accurate examples of what may be found in the Old Woman Creek area.

Organism	May Sample (Fig.6)					Aug. Sample (Fig.7)				
	1	2	3	Average	Total pop. (estimate)	1	2	3	Average	Total pop. (estimate)
Algae:										
Diatoms 										
Green 										
Blue-green 										
Zooplankton:										
Cladocerans 										
Copepods 										
Protozoans 										
Rotifers 										
Fish Larvae:*										
Yellow Perch										
										
yolk-sac larva										
										
regular larva										
Gizzard Shad										
										
yolk-sac larva										
										
regular larva										
White Bass										
										
yolk-sac larva										
										
regular larva										
Sheepshead (freshwater drum)										
										
yolk-sac larva										
										
regular larva										
Emerald Shiner										
										
yolk-sac larva										
										
regular larva										

* Yolk-sac larvae have just emerged from eggs. A yolk-sac larva is younger than a regular larva.

NOTE: The "Total Population" size which you have estimated here is only the population of the whole page, not the population of the whole estuary. To calculate the entire estuary plankton population would be very difficult. This activity is just meant to show what organisms might be in the estuary and how different the plankton sample is from one time to another.

Hopefully, those of you who said, "But why not just count all the e's?", on the e sampling page, can better see why scientists frequently resort to sampling techniques. (Imagine a scientist trying to count all the individual organisms in the estuary!)




Figure 6. Estuary plankton sample, May 1978.
(Water temperature 13°C)




Figure 1. Estuary plankton sample, August 1978.
(Water temperature 21°C)

Answer the following questions based on the samples you "collected."

1. Put a check in the proper box to show which season had these characteristics:

	Spring (May)	Summer (August)
a. the greatest number of diatoms		
b. the greatest number of blue-green algae		
c. the greatest number of zooplankton		
d. the warmest water		
e. the most gizzard shad larvae		
f. the most yellow perch larvae		
g. the most sheepshead larvae		

2. Young perch eat a lot of algae. Which season would have the most food for baby perch? _____ In which season are the perch spawned (eggs deposited)? _____
3. Do all the types of fish in the sample spawn at the same time? _____ How can you tell? _____
4. You have noted that water samples are warmer in the _____ sample.

Water temperature is an important factor in determining when fish spawn. Which species appear to require warmer water for spawning?

5. What would be the advantage of having different fish spawn at different times?

6. Fish may enter an estuary to spawn. From your transect information, why else might fish come into the estuary?

7. You now have information about the microscopic and the macroscopic (visible to the unaided eye) organisms in an estuary. Using what you have learned, predict the effect of the following events on the plants and animals of the estuary:

- a. Heavy spring rains raise the level of the creek one foot higher than it is now. The water also flows very fast.

Effect on rooted plants _____

" " plankton _____

" " adult fish _____

" " fish larvae and eggs _____

" " shore birds _____

- b. Hot water is dumped into the estuary by a utility company.

Effect on rooted plants _____

" " plankton _____

" " adult fish _____

" " fish larvae and eggs _____

" " shore birds _____

- c. The estuary is dredged out so that boats can go up the creek. (The mouth of the estuary is deepened and probably protected by a sea wall. A portion to be used as a marina is deepened similarly to a depth of 4 to 8 feet.)

Effect on rooted plants _____

" " plankton _____

" " adult fish _____

" " fish larvae and eggs _____

" " shore birds _____

- d. The estuary is filled in on the sides so that new homes can be built near the water.

Effect on rooted plants _____

" " plankton _____

" " adult fish _____

" " fish larvae and eggs _____

" " shore birds _____

REVIEW QUESTIONS

1. Define estuary. Where are estuaries found?

2. Explain what is meant by population sampling.

3. Describe a method by which scientists can sample a macroscopic community. Describe a sampling method for a microscopic community.

4. Give a general description of the types of plants found in different depths of water in an estuary.

5. List three ways in which plants are useful to animals in the estuary.

6. What types of organisms might be found in an estuary plankton sample?

7. Why are estuaries considered to be "endangered environments?"

APPENDIX

Macroscopic Plants of the Estuary (Old Woman Creek)

1. Trees (Rooted on land. Excess water around root system may destroy some trees.)


Box elder



Cottonwood



Buckeye



2. Emergent plants (Roots are in water, but leaves and seeds emerge into the air.)


Rushes



Cattails




Arrowhead




Reeds



Pickerelweed



3. Submerged plants (Roots and leaves underwater.)



Water surface



OEAGLS-Oceanic
Education
Activities
for
Great
Lakes
Schools

THE ESTUARY: A SPECIAL PLACE

by

Rosanne Fortner, The Ohio State University
and
Ron Mischler, McCormick Junior High, Huron, Ohio



Ohio Sea Grant Program
Charles E. Herdendorf, Program Director
Victor J. Mayer, Principal Investigator

TEACHER GUIDE

OEAGLS Investigation #20

Completed August 1980

This instructional activity was prepared with the support of National Oceanic and Atmospheric Administration Grant Nos. 04-158-44099, 04-8-M01-170 and NA 79AA-D-00120, and from The Ohio State University. However, any opinions, findings, conclusions, or recommendations expressed herein are those of the authors, and do not necessarily reflect the views of NOAA or the University.

Copyright © The Ohio State University Research Foundation, 1980.
All rights reserved.

INVESTIGATION

THE ESTUARY: A SPECIAL PLACE

OVERVIEW

The Old Woman Creek estuary on Lake Erie is examined to illustrate the characteristics and importance of estuaries in general. Activities also demonstrate the population sampling methods used by ecologists.

In Activity A, students study the general characteristics of the estuary by means of a computer map. A hypothetical transect line is constructed and the larger plants and animals along the line are considered for their role in the life of the estuary. Activity B involves analysis of a plankton sample (illustrated) to show how the waters of the estuary serve as a nursery for lake fish. Finally, students are led to consider the impact on the estuary from such factors as high water levels, heated water, dredging and filling in.

PREREQUISITE STUDENT BACKGROUND

Students should be able to accurately perform mathematical exercises involving addition, multiplication and division by two digits.

MATERIALS

Colored pencils, ruler, rubber canning rings (wide mouth size)

OBJECTIVES

When students have completed this investigation, they should be able to:

1. Describe the methods used by ecologists to sample populations of plant and animal life in the water.
2. Give a general description of the plant communities that are found in different depths of water in an estuary.
3. Explain how plant communities are important to animal life in the estuary.
4. List the types of organisms that are found as plankton in an estuary.
5. Predict the effects of some human and environmental forces on conditions in an estuary.

SUGGESTED APPROACH

Older students (grade 7 and above) can work individually through this investigation. Younger students will probably gain more by working in pairs and discussing the work as they proceed. In either case, the teacher should follow the investigation with a class discussion of results and a consideration of the special characteristics of Old Woman Creek. The articles on pages 8 and 9 provide this information. A map on page 7 shows the location of all the National Estuarine Sanctuaries in 1980.


Several excellent films are available on the subject of estuaries. We recommend one from NOAA entitled "Estuarine Heritage." It is 28 minutes long, and it shows the importance of the estuary for food production, animal habitat and recreational resources. It also depicts some of the major threats to estuaries from human activities. Even though the estuaries discussed are all on ocean coastlines, the characteristics and problems are much the same. Order this film (free loan) from: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Rockville, MD 20852.

ACTIVITY A

WHAT IS THE ROLE OF PLANTS IN AN ESTUARY?

PROCEDURE A

1-4. The students' maps should look something like this:



3. Marsh, open water and deciduous forest.

ACTIVITY B

HOW DOES THE ESTUARY SERVE AS A NURSERY?

Keywords: plankton, algae, zooplankton, larvae

Have the students practice the technique and calculations for the e "population" on one or two printed pages before going on to the plankton pages.

If for some reason you wish to use the regular mouth jar rubbers, having an i.d. of 5.7 cm, use 25.5 cm^2 for the area in Step 2, and use 24 for the multiplication factor in Step 3. In this case, the sample calculation becomes $16 \times 24 = 384$.

In sampling from Figures 6 and 7, students will often have organisms that are only partly visible in the ring. Follow the general rule that if $\frac{1}{2}$ of the organism or more is visible, the students should count that as one whole organism. For algae clumps, it is probably most accurate to count every strand of algae as a different organism, rather than counting clumps or clusters.

1. For most of the following, results would probably be more accurate if the entire class would pool its information.

	Spring	Summer
a. most diatoms	✓	
b. most blue-green algae		✓
c. most zooplankton	✓	
d. warmest water		✓
e. most gizzard shad	✓	
f. most perch	✓	
g. most sheepshead		✓

2. Perch spawn in spring (March-May). There is more food for them in summer, however. Note that they have yolk sacs in the May plankton sample. The larvae use the yolk as food, then begin to feed on ae.
3. No. There are no bass or sheepshead in the May sample. They appear as yolk-sac larvae in the August sample.
4. Summer water is warmer. Sheepshead and white bass appear to require warmer water for spawning.

5. Spawning times could be related to the availability of food for the larvae. There may also be temperature tolerances of the fish to be considered, and some fish are sensitive to overcrowding. Discuss all possibilities that students suggest.

6. Fish might also enter the estuary to eat or to find shelter among the water plants (Figure 4).

7. a. --Rooted plants may be washed out or completely submerged. (Submersion would kill plants that are ordinarily emergent.) The mud of the bottom could be washed out, preventing plants from becoming re-established.

--Plankton would be swept out into the open water of the lake.

--Adult fish might find more spawning sites in the submerged plants, but there is a greater chance of eggs washing away. Muddy water would reduce the ability of sight-feeding fish to find food.

--Fish eggs and larvae could wash away into the lake where they could be killed by temperature changes or eaten by other fish. If larvae remained, their food supply would probably be reduced because of plankton loss.

--Shore birds would probably have more trouble catching small fish, and the nest sites for the birds could be destroyed.

b. --Plants could be killed.

--Plant Plankton would probably increase in number up to a certain water temperature. Zooplankton would probably be killed.

--Fish that depend on warmer water temperatures to determine their spawning time might spawn earlier than usual. If the temperature got too high, some fish would not enter the estuary at all.

--Fish larvae might have more algae to eat, but excess heat could kill both eggs and larvae.

--The food supply would be affected.

c. --Removal of bottom sediments would cause destruction of the water plants rooted there.

--Fish, shore birds and other animals that depended on the plants for breeding areas, food or shelter would no longer enter the estuary.

--Plankton would be washed out into the lake.
(No water plants to hold them back.)

d. --Nobody wants a marsh as a back yard. We can assume that the water edges are bordered by seawalls or sand beaches in front of the homes. The character of the estuary would be completely changed. Students will probably have interesting ideas on what changes would be involved. All possibilities should be discussed.

--Few rooted plants could survive.

--Not many plankton.

--Adult fish would move further inland to spawn, or spawning may be prevented.

--No spawning, no eggs.


--Food supply decrease, so they find other feeding grounds. Few plants, so no nest sites.

REVIEW QUESTIONS

1. An estuary is the part of the mouth of a stream in which the water level is influenced by the body of water into which the stream flows. Estuaries are found where streams flow into a lake or sea.
2. Population sampling is the method which ecologists use to find out how many and what kinds of organisms are in a community. A portion of the organisms in a given area are identified and counted, then an estimate of the total population is made.
3. A macroscopic community can be sampled using a transect, a line that runs through the community. All the organisms along the line are identified and counted to get a sample of the total population that is present.

A microscopic community in water can be sampled using a plankton net. The organisms caught in the net are examined under the microscope. All organisms in one microscope field (like one of the jar rings in the activity) are identified and counted. Averaging several such counts gives an estimate of the total community composition.

4. Plants on the shoreline are rooted in fairly dry soil and stand above the water. Along the water's edge are plants whose roots are in very wet soil or in bottom sediment but whose vegetative parts are emergent (stick out of the water). Farther out in the water are plants whose roots, stems and leaves are all underwater (submerged).
5. Plants provide food, shelter and nesting sites for the animals in and around the estuary.
6. An estuary plankton sample is likely to contain larval fish, algae and zooplankton.
7. Estuaries are considered to be endangered environments because they trap pollutants that wash off from the land through the stream. They are also located in the heavily populated coastal zones of the world, and they are sometimes eyed as being more valuable for development of homesites, marinas and such, rather than for their contributions to the ecology of the lake or sea into which the streams flow.



Location of National Estuarine Sanctuaries



SUMMER 1977


Ohio Coastal Zone Management Newsletter

Ohio Department of Natural Resources • Division of Water

JAMES A. RHODES, *Governor* • ROBERT W. TEATER, *Director* • WAYNE S. NICHOLS, *Chief*

OLD WOMAN CREEK SANCTUARY AWAITS FINAL APPROVAL

The final Environmental Impact Statement (EIS) on the proposed national estuarine sanctuary at Old Woman Creek has been prepared by the Office of Coastal Zone Management. It was released to the public for a 30 day comment period and submitted to the Council on Environmental Quality this spring. If the proposal is approved, the sanctuary will be established by a federal government grant of \$800,000 to match \$800,000 in state money. The money is available through the estuarine sanctuary program of the Coastal Zone Management Act of 1972. It will be used to purchase land, develop a management system and support three years of management.



A draft EIS was prepared and public comments were received by mail and at a public meeting. The final impact statement took into account these comments from public agencies and other interested parties. Basic changes included a reduction in size from

980 acres to 637 acres and the elimination of special restrictions on the use of agricultural chemicals. As a result we are one step closer to having the first national estuarine sanctuary on the Great Lakes.

The proposed sanctuary is located at the mouth of Old Woman Creek in Erie County just east of Huron. It includes submerged lands, marshes, a 15 acre island, woods, plains, shale bluffs and a barrier beach.

The area is of special importance because of a variety of habitats and resulting diversity of plant and animal species present. Ducks, geese, whistling swans, herons and egrets are frequent visitors at Old Woman Creek. Northern pike, bowfin, largemouth bass, black and white crappie, and brown bullhead spawn in its waters. Several of Ohio's endangered fish species may also live in the marshes. A great variety of plant species, including the endangered pinkweed, is found in the area. There are also relict prairie populations of big bluestem, Indian plantain, whorled rosenweed and prairie rose.


The proposed sanctuary would protect this freshwater estuary which is representative of those all along the Great Lakes shores. It would set aside the last remain-

ing area in Ohio for many types of wildlife and vegetation which have become threatened by development and degraded water quality.



A basic part of the operation of the sanctuary would involve a public education and research program. In accordance with this program, passive recreation uses would be allowed in designated areas. These activities include nature study, canoeing and photography. A visitor center, laboratory, classroom and monitoring station are included in the plan.

The educational and scientific activities at Old Woman Creek will provide the people of Ohio an opportunity to learn more about the unique beauty and values of wetland ecosystems. With this knowledge we will improve our ability to deal with issues and problems which confront us all along our shoreline when such areas are threatened with loss or degradation.



OLD WOMAN CREEK NATIONAL ESTUARINE SANCTUARY

Old Woman Creek

National Estuarine Sanctuary



A State Nature Preserve



OHIO DEPARTMENT OF NATURAL RESOURCES
DIVISION OF NATURAL AREAS AND PRESERVES
Columbus Square • Columbus, Ohio 43224

In 1977, the U.S. Office of Coastal Zone Management awarded a grant to the State of Ohio for the establishment of Old Woman Creek National Estuarine Sanctuary on the south shore of Lake Erie, two miles east of Huron, Ohio. The estuary, where the waters of Old Woman Creek mix with Lake Erie's, was the first and still is the only freshwater estuary in the national estuarine sanctuary program. The sanctuary began operations in 1978 when both a manager and a biologist were hired. By January 1980, land acquisition was 90% complete with negotiations underway for the remaining tracts. On September 5, 1980, Old Woman Creek was dedicated as a state nature preserve. It is an integral part of a statewide system of 51 preserves, and is being managed by the Division of Natural Areas and Preserves of the Ohio Department of Natural Resources.

The 600-acre sanctuary is one of the least disturbed areas along Lake Erie's south shore, and contains a variety of aquatic and terrestrial habitats. Within the sanctuary there are four distinct wetland types: open water, shoreline, marsh, and mud flats. The open water areas contain scattered dense beds of water lily and water lotus. Sedges, cattails and bur reed are the most common plants of shoreline and marsh areas while rose mallow and smartweed are most abundant on mud flats in the estuary. The surrounding uplands are mainly mixed oak-hickory-maple forest and old crop fields in various stages of returning to natural conditions. There is also a small native prairie plant population in the preserve containing big bluestem, Indian grass, whorled rosinweed, and bush clover. The sand bars and barrier beach at the mouth of Old Woman Creek are in a constant state of change under the seasonal influences of changing lake levels, storms, ice, and flooding on the creek.

The estuary provides an excellent spawning and rearing habitat for over forty-five species of fish. Its waters are rich in smaller life forms that are the base of the estuarine food chain, some visible only through a microscope. Bird life at the preserve is equally diverse. Many species of ducks, geese, herons, egrets, shorebirds, and songbirds have been seen at Old Woman Creek. Bird populations peak in the spring and fall when migrating birds use the preserve as a resting area before or after crossing Lake Erie. Bald eagles and osprey also occasionally visit the area.

In addition to the preservation of the estuary, the goals of the sanctuary are two fold: public education and biological research. With the interest generated by the establishment of a national estuarine sanctuary along Lake Erie's shore, the educational program at the preserve began immediately after a permanent staff was hired. These early programs have concentrated on the significance of estuaries in the ecosystem as well as the importance of all wetlands to man. A former residence on sanctuary property has been converted to a temporary visitor center and research laboratory. A permanent larger facility is proposed for future development. The present visitor center is a focal point for public education and interpretive programs. It houses displays depicting the ecology of the estuary. Although a permanent nature trail system has not been developed yet, individuals and student, civic, or youth groups may visit the preserve for scheduled interpretive programs. These programs are an especially effective means of developing public awareness and appreciation of the sanctuary. Old Woman Creek will also become an outdoor classroom for students in cooperative on-site educational programs that have been initiated with local schools.

The research program at Old Woman Creek has two major objectives: 1) to ecologically define a freshwater estuary, and 2) to assist in the development of a comprehensive coastal zone management program. Information is being gathered on the estuary's geology, water chemistry, nutrient levels, plant life, animal life and their interactions. The data from these studies and future research will provide a framework for defining a freshwater estuarine ecosystem, a relatively new ecological concept. This information will also establish valuable reference points for evaluating the degree of human impact on other more disturbed or manipulated estuaries and a means to develop ecologically sound management techniques for all coastal wetland areas. Studies of all aspects of the ecology of a freshwater estuary by university staff, students and other research workers will be a major part of the sanctuary's research program. Presently, members of the Civil Engineering Department of The Ohio State University are conducting research on the shifting sand bars and beach at the mouth of Old Woman Creek, and a cooperative project with Ohio Sea Grant is underway in which fish fry populations of the estuary will be compared with those of a larger manipulated estuary. In the future, the sanctuary will become a center for estuarine and coastal wetland studies in Ohio.

More information on public programs or research activities at Old Woman Creek can be obtained by contacting:

Gene Wright, Preserve Manager
Dr. David Klarer, Preserve Biologist
Old Woman Creek
2005 Cleveland Rd., East
Huron, Ohio 44839
(419) 433-4601

